

SST39VF6401B-70-4C-EKE

Data Sheet

64 Mbit (x16) Multi-Purpose Flash Plus, Flash 64M (4Mx16) 70ns 2.7-3.6V Commercial

Manufacturers <u>Microchip Technology, Inc</u>

Package/Case TSOP-48

Product Type Memory

RoHS Rohs

Lifecycle



Images are for reference only

Please submit RFQ for SST39VF6401B-70-4C-EKE or Final to us: sales@ovaga.com We will contact you in 12 hours.

RFO

General Description

The SST39VF6401B device is a 4M x16, CMOS Multi-Purpose Flash Plus (MPF+) manufactured with SST proprietary, high performance CMOS SuperFlash technology. The split-gate cell design and thick-oxide tunneling injector attain better reliability and manufacturability compared with alternate approaches. The SST39VF6401B writes (Program or Erase) with a 2.7-3.6V power supply. This devices conforms to JEDEC standard pinouts for x16 memories and is command set compatible with Flash devices that support the AMD/Spansion command set, enabling customers to save time and resources in implementation.

Related Products



AT24CM02-SSHM-B

Microchip Technology, Inc SOIC-8



AT24C512C-SSHM-T

Microchip Technology, Inc SOIC-8



SST39VF6401B-70-4I-EKE

Microchip Technology, Inc TSOP-48



AT24CM02-SSHD-B

Microchip Technology, Inc SOIC-8



SST25VF020B-80-4I-SAE-T

Microchip Technology, Inc SOIC-8



SST39VF3201-70-4C-B3KE

Microchip Technology, Inc TFBGA-48



SST39VF1601C-70-4I-EKE

Microchip Technology, Inc TSOP-48



AT24CM01-SSHM-T

Microchip Technology, Inc SOIC-8