

MCP6541T-I/LT

Data Sheet

<u>RFO</u>

Analogue Comparator, Sub-Microamp, 1 Comparator, 4 µs, 1.6V to 5.5V, SC-70, 5 Pins

Manufacturers	Microchip Technology, Inc	
Package/Case	SC70-5	
Product Type	Comparator ICs	
RoHS	Rohs	
Lifecycle		Images are for reference only

Please submit RFQ for MCP6541T-I/LT or Email to us: sales@ovaga.com We will contact you in 12 hours.

General Description

The MCP6541 is a Push-pull, single comparator. This single-ended device operates from 1.6V to 5.5V, with typical quiescent current of 600 nA and a maximum of 1 microamp. This device is offered in the eight lead PDIP, SOIC, MSOP and five lead SOT-23 package. AEC-Q100 Grade 1 qualification is available for this device

Features

Push-Pull Output

4us Propogation Delay

Low Operating Voltage, 1.6V to 5.5V

Low Operating Current, 600nA (typical)

Rail-to-Rail Input/Output

Small 5-pin SOT-23 Package

AEC-Q100 Grade 1

Related Products



MCP6561T-E/OT

Microchip Technology, Inc SOT-23-5



<u>MCP6541T-I/OT</u>

Microchip Technology, Inc SOT23



MCP6564-E/SL

Microchip Technology, Inc SOIC-14



<u>MCP6562-E/SN</u>

Microchip Technology, Inc SOIC-8



<u>MCP6547-E/SN</u>

Microchip Technology, Inc SOIC-8



MCP6562T-E/MS

Microchip Technology, Inc MSOP-8

MCP6547-E/MS

Microchip Technology, Inc MSOP-8

MCP6542-I/SN

Microchip Technology, Inc SOIC-8