

PIC16F722A-I/SS

Data Sheet

PIC16 Series 128 B RAM 3.5 KB Flash 25 I/O 8-bit Microcontroller - SSOP-28

Manufacturers <u>Microchip Technology, Inc</u>

Package/Case SSOP-28

Product Type Embedded Processors & Controllers

RoHS Rohs

Lifecycle Images are for reference only

Please submit RFQ for PIC16F722A-I/SS or **Email to us: sales@ovaga.com** We will contact you in 12 hours.

RFO

General Description

The PIC16F/LF722A/723A devices are covered by this data sheet. They are available in 28-pin packages.

Features

Mid-Range core with 35 Instruction, 8 Stack Levels

Flash Program Memory

Internal 16MHz oscillator

I²CTM, SPI, AUSART

2 X CCP (Caputure/Compare/PWM)

11 Channel 8b ADC

25mA Source/Sink current I/O

One 8-bit Timer (TMR0)

Two 16-bit Timer (TMR1/TMR2)

Watchdog Timer (WDT)

Enhanced Power-On/Off-Reset

Brown-Out Reset (BOR)

In Circuit Serial ProgrammingTM (ICSPTM)

Built-in mTouchTM capacative sensing module

Wide Operation Voltage Variant 'F' (1.8V – 5.5V)

eXtreme Low Power (XLP) 'LF' Variant (1.8V – 3.6V)

The PIC16F/LF722 & PIC16F/LF722A are electrically identical

The "A" variants are provided at reduced pricing

Related Products



PIC24F16KA101-I/SS

Microchip Technology, Inc
SSOP-20



Microchip Technology, Inc PDIP-28

PIC16F1938-I/SP



PIC16F1936-I/SS

Microchip Technology, Inc
SSOP-28



PIC18F23K22-I/SP
Microchip Technology, Inc
SPDIP-28



PIC18F6520-I/PT

Microchip Technology, Inc TQFP-64



PIC18F2620-I/SP

Microchip Technology, Inc SPDIP-28



PIC18F2620-I/SO

Microchip Technology, Inc SOIC-28



PIC18F97J60T-I/PT

Microchip Technology, Inc TQFP-100