🔉 ovaga

MC3403DG

Data Sheet

Operational Amplifiers - Op Amps 3-36V Quad 10mV VIO Commercial Temp

Manufacturers	ON Semiconductor, LLC
Package/Case	SOIC-14
Product Type	Amplifier ICs
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ) for MC3403DG or <u>Email to</u>	us: sales@ovaga.com	We will contact you in	1 12 hours.



General Description

The MC3403 is a low cost, quad op-amp with true differential inputs. The device has electrical characteristics similar to the popular MC1741C. However, the MC3403 has several distinct advantages over standard operational amplifier types in single supply applications. The quad op-amp can operate at supply voltages as low as 3.0 V or as high as 36 V with quiescent currents about one third of those associated with the MC1741C (on a per amplifier basis). The common mode input range includes the negative supply, thereby eliminating the necessity for external biasing components in many applications. The output voltage range also includes the negative power supply voltage.

Features

Short Circuit Protected Outputs

Class AB Output Stage for Minimal Crossover Distortion

True Differential Input Stage


Single Supply Operation: 3.0 V to 36 V $\,$

- Split SupplyOperation: $\pm \ 1.5 \ V \ to \pm \ 18 \ V$
- Low Input Bias Currents: 500 nA Max
- Four Amplifiers Per Package
- Internally Compensated

Similar Performance to Popular MC1741C

Industry Standard Pinouts

ESD Diodes Added for Increased Ruggedness



Related Products



MC33204DR2G

ON Semiconductor, LLC SOIC-14



MC34074ADG

SOIC-14

ON Semiconductor, LLC

Application

ONSEMI



MC33178P ON Semiconductor, LLC DIP-8



MC33074DR2G

ON Semiconductor, LLC SOIC-14



<u>MC33201PG</u>

ON Semiconductor, LLC 8-PDIP



<u>MC34074VDG</u>

ON Semiconductor, LLC SOIC-14



MC33204DTBR2G

ON Semiconductor, LLC TSSOP-14

<u>MC33178PG</u>

ON Semiconductor, LLC PDIP-8