

FSA3357K8X

Data Sheet

Low Voltage SP3T Analog Switch (3:1 Multiplexer/Demultiplexer), Multiplexer Switch ICs Multi/Demultiplexer LV 3:1 SP3T

Manufacturers	ON Semiconductor, LLC	
Package/Case	US8-8	
Product Type	Interface ICs	
RoHS	Rohs	9.9.9
Lifecycle		Images are for reference only
Please submit RFQ for FSA3357K8X or Email to us: sales@ovaga.com We will contact you in 12 hours.		

General Description

The FSA3357 is a high performance, single-pole/triple-throw (SP3T) Analog Switch or 3:1 Multiplexer/Demultiplexer. The device is fabricated with advanced sub-micron CMOS technology to achieve high speed enable and disable times and low On Resistance. The break before make select circuitry prevents disruption of signals on the B0, B1, or B2 Ports due to the switches temporarily being enabled during select pin switching. The device is specified to operate over the 1.65 to 5.5V VCC operating range. The control input tolerates voltages up to 5.5V independent of the VCC operating range.

Application

ONSEMI

Related Products



<u>FSA4159P6X</u>

ON Semiconductor, LLC SC-70



FSA4157AP6X ON Semiconductor, LLC

SC-70-6



FSA5157P6X

ON Semiconductor, LLC SC-70-6

FSA4157P6



ON Semiconductor, LLC SC-70-6

FSA1156P6X

ON Semiconductor, LLC SC-70-6





ON Semiconductor, LLC MLP-16



FSA660TMX

ON Semiconductor, LLC 18-XFQFN



FSA553UCX

ON Semiconductor, LLC 9-UFBGA, WLCSP