

# HMC510LP5

Data Sheet

MMIC VCO w/ HALF FREQUENCY OUTPUT & DIVIDE-BY-4, 8.45

Manufacturers Analog Devices, Inc

Package/Case QFN32

Product Type RF Integrated Circuits

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for HMC510LP5 or Email to us: sales@ovaga.com We will contact you in 12 hours.

**RFO** 

### **General Description**

The HMC510LP5(E) is a GaAs InGaP Heterojunction Bipolar Transistor (HBT) MMIC VCO. The HMC510LP5(E) integrates resonators, negative resistance devices, varactor diodes and feature half frequency and divide-by-4 outputs. The VCO's phase noise performance is excellent over temperature, shock, and process due to the oscillator's monolithic structure. Power output is +13 dBm typical from a +5V supply voltage. The prescaler and RF/2 functions can be disabled to conserve current if not required. The voltage controlled oscillator is packaged in a leadless QFN 5x5 mm surface mount package, and requires no external matching components.

## Features Application

Dual Output: = 4.225 - 4.775 GHz Point-to-Point/Multi-Point Radio

Pout: +13 dBm Test Equipment & Industrial Controls

Phase Noise: -116 dBc/Hz @100 kHz Typ. SATCOM

No External Resonator Needed Military End-Use

QFN Leadless SMT Package, 25 mm<sup>2</sup>



#### **Related Products**



HMC3653LP3BE

Analog Devices, Inc QFN-12



HMC253AQS24

Analog Devices, Inc 24-SSOP (0.154, 3.90mm Width)



**HMC358MS8GE** 

Analog Devices, Inc MSOP-8



**HMC453ST89E** 

Analog Devices, Inc ST89E



#### HMC441LP3E

Analog Devices, Inc QFN-16



#### HMC948LP3E

Analog Devices, Inc LP3



**HMC490** 

Analog Devices, Inc SMD



### HMC618ALP3E

Analog Devices, Inc QFN-16