

JS28F128M29EWL

Data Sheet

Manufacturers <u>Intel Corp</u>

Package/Case TSOP-56

Product Type Programmable Logic ICs

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for JS28F128M29EWL or Email to us: sales@ovaga.com We will contact you in 12 hours.

RFO

General Description

JS28F128M29EWL is a flash memory device manufactured by Micron Technology. It is a high-performance, low-power, multi-level cell (MLC) NAND flash memory designed for use in a wide range of applications such as automotive, industrial, and networking.

Features

128 Mb density

Multi-level cell (MLC) NAND flash technology

x8 and x16 memory interfaces

Operating voltage range of 2.7V to 3.6V

High performance with a read speed of up to 120 MB/s and a write speed of up to 80 MB/s

Low power consumption

Built-in error correction code (ECC) and wear leveling algorithms

Application

Automotive: infotainment systems, navigation systems, telematics, and advanced driver assistance systems (ADAS)

Industrial: embedded systems, robotics, control systems, and instrumentation

Networking: routers, switches, and other network equipment



Related Products



EP4CE15F23I7N

Intel Corp

FBGA-484



EP4CGX150DF31I7N

Intel Corp

BGA896



10CL006YE144C8G

Intel Corp

LQFP-144



<u>10CL040YU484I7G</u>

Intel Corp

484-FBGA



5CEFA9F23I7N

Intel Corp

FBGA-484



<u>10CL040YU484C8G</u>

Intel Corp

484-FBGA



5CSEMA5F31C7N

Intel Corp

FBGA-896



5CGXFC7C6U19I7N

Intel Corp

BGA-484