

LT1014CN#PBF

Data Sheet

LINEAR TECHNOLOGY LT1014CN#PBF Operational Amplifier, Quad, 4 Amplifier, 800kHz, 0.4V/µs, 4V to 44V, DIP, 14Pins

Manufacturers <u>Analog Devices, Inc</u>

Package/Case PDIP-14

Product Type Amplifier ICs

RoHS Pb-free Halide free

Lifecycle



Images are for reference only

Please submit RFQ for LT1014CN#PBF or Email to us: sales@ovaga.com We will contact you in 12 hours.

RFO

General Description

The LT1014A, and LT1014D are quad precision operational amplifiers with 14-pin industry-standard configuration. They feature low offset-voltage temperature coefficient, high gain, low supply current, and low noise.

The LT1014A, and LT1014D can be operated with both dual ± 15 -V and single 5-V power supplies. The common-mode input voltage range includes ground, and the output voltage can also swing to within a few milivolts of ground. Crossover distortion is eliminated.

The LT1014C and LT1014D are characterized for operation from 0°C to 70°C. The LT1014I and LT1014DI are characterized for operation from –40°C to 105°C. The LT1014M, LT1014AM and LT1014DM are characterized for operation over the full military temperature range of –55°C to 125°C.

Features

Single-Supply Operation:

Input Voltage Range Extends to Ground, and

Output Swings to Ground While Sinking Current

Input Offset Voltage 300 μV Max at 25°C for LT1014

Offset Voltage Temperature Coefficient

 $2.5~\mu\text{V}/^{\circ}\text{C}$ Max for LT1014

Input Offset Current 1.5 nA Max at 25°C for LT1014

High Gain 1.2 V/µV Min>Min>

Low Supply Current 2.2 mA Max at 25°C for LT 1014

Low Peak-to-Peak Noise Voltage 0.55 μV Typ

Low Current Noise 0.07 pA/Hz Typ

Application

Battery-Powered Precision Instrumentation

Strain Gauge Signal Conditioners

Thermocouple Amplifiers

Instrumentation Amplifiers

4mA to 20mA Current Loop Transmitters

Multiple Limit Threshold Detection

Active Filters


Multiple Gain Blocks

Strain Gauge Signal Conditioners

Thermocouple Amplifiers

Instrumentation Amplifiers





Related Products



LTC1151CSW#PBF

Analog Devices, Inc SOIC-16



LTC2053CMS8

Analog Devices, Inc MSOP8



LT1491ACS

Analog Devices, Inc SOP14



LT1498CS8

Analog Devices, Inc SOP-8



LTC1150CN8

Analog Devices, Inc DIP8



<u>LT6105IMS8</u>

Analog Devices, Inc MSOP-8



LTC1150CS8

Analog Devices, Inc
SOP8



LT1013CN8

Analog Devices, Inc

DIP-8