

BTS5180-2EKA

Data Sheet

INFINEON BTS5180-2EKA Power Load Switch, Smart6 Technology, High Side, 2Outputs, 6V, 11A, SOIC-14

Manufacturers <u>Infineon Technologies Corporation</u>

Package/Case sop14

Product Type Switch ICs

RoHS Green

Lifecycle



Images are for reference only

Please submit RFQ for BTS5180-2EKA or Email to us: sales@ovaga.com We will contact you in 12 hours.

RFQ

General Description

BTS5180-2EKA is a high-side power switch designed for automotive and industrial applications. Here are its features:

Features

Integrated power MOSFET, driver, protection and diagnostic functions

Short circuit, over-temperature, over-voltage, and ESD protection

Diagnostic feedback via SPI interface

Low current consumption in standby mode

Wide operating voltage range: 4.5V to 58V

High current capability: up to 30A

Low on-state resistance: typically $4.5 \text{m}\Omega$

Application

Electronic power steering (EPS) systems

HVAC (heating, ventilation, and air conditioning) systems

LED lighting

DC motor control

Power distribution systems





Related Products



BTS5016-2EKA

Infineon Technologies Corporation SOP14



BTS5045-2EKA

Infineon Technologies Corporation SOP-14



BTS5030-2EKA

Infineon Technologies Corporation SOP-14



BTS50050-1EGA

Infineon Technologies Corporation PG-DSO-12



BTS5231-2GS

Infineon Technologies Corporation DSO-14



BTS5016SDA

Infineon Technologies Corporation TO-252-5



BTS4141N
Infineon Technologies Corporation
SOT-223



BTS50085-1TMA
Infineon Technologies Corporation
SOT263