

64 Mbit (x16) Multi-Purpose Flash Plus,Flash 64M (4Mx16) 70ns Industrial Temp

Manufacturers	<u>Microchip Technology, Inc</u>
Package/Case	TSOP-48
Product Type	Memory
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for SST39VF6401B-70-4I-EKE or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

The SST39VF6401B device is a 4M x16, CMOS Multi-Purpose Flash Plus (MPF+) manufactured with SST proprietary, high performance CMOS SuperFlash technology. The split-gate cell design and thick-oxide tunneling injector attain better reliability and manufacturability compared with alternate approaches. The SST39VF6401B writes (Program or Erase) with a 2.7-3.6V power supply. This devices conforms to JEDEC standard pinouts for x16 memories and is command set compatible with Flash devices that support the AMD/Spansion command set, enabling customers to save time and resources in implementation.





Related Products



[AT24CM02-SSHM-B](#)

Microchip Technology, Inc
SOIC-8




[AT24C512C-SSHM-T](#)

Microchip Technology, Inc
SOIC-8



[SST39VF3201-70-4C-B3KE](#)

Microchip Technology, Inc
TFBGA-48



[AT24CM02-SSHD-B](#)

Microchip Technology, Inc
SOIC-8



[SST25VF020B-80-4I-SAE-T](#)

Microchip Technology, Inc
SOIC-8



[SST39VF1601C-70-4I-EKE](#)

Microchip Technology, Inc
TSOP-48



AT24CM01-SSHM-T

Microchip Technology, Inc
SOIC-8



AT24C04D-SSHM-T

Microchip Technology, Inc
SOIC-8