


TinyLogic UHS Buffer with 3-STATE Output; Package: US8; No of Pins: 8; Container: Tape & Reel, Buffers & Line Drivers Buffer with 3-STATE Output



Images are for reference only

| | |
|---------------|---------------------------------------|
| Manufacturers | ON Semiconductor, LLC |
| Package/Case | US8-8 |
| Product Type | Logic ICs |
| RoHS | Rohs |
| Lifecycle | |

Please submit RFQ for NC7WZ125K8X or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.



General Description

The NC7WZ125 is a Dual Non-Inverting Buffer with independent active LOW enables for the 3-STATE outputs. The Ultra High Speed device is fabricated with advanced CMOS technology to achieve superior switching performance with high output drive while maintaining low static power dissipation over a broad VCC operating range. The device is specified to operate over the 1.65V to 5.5V VCC operating range. The inputs and outputs are high impedance when VCC is 0V. Inputs tolerate voltages up to 5.5V independent of VCC operating range. Outputs tolerate voltages above VCC when in the 3-STATE condition.

Application

ONSEMI

Related Products



[NC7SZ18P6X](#)

ON Semiconductor, LLC
SC-70-6



[NC7SV04P5X](#)

ON Semiconductor, LLC
SC-70-5



[NC7SV32P5X](#)

ON Semiconductor, LLC
SC-70



[NC7SV08P5X](#)

ON Semiconductor, LLC
SC-70



[NC7S32M5X](#)

ON Semiconductor, LLC
SOT-23



[NC7SV157P6X](#)

ON Semiconductor, LLC
SC-70-6



[NC7WZ08K8X](#)

ON Semiconductor, LLC
VSOP-8



[NC7SZ00P5X](#)

ON Semiconductor, LLC
SC-70