

LTC3824EMSE#TRPBF

Data Sheet

RFO

DC DC Cntrlr Single-OUT Step Down Controller 4V to 60V Input Automotive

Manufacturers	Analog Devices, Inc	
Package/Case	MSOP-10	
Product Type	Power Management ICs	
RoHS		
Lifecycle		Images are for reference only

Please submit RFQ for LTC3824EMSE#TRPBF or Email to us: sales@ovaga.com We will contact you in 12 hours.

General Description

The LTC3824 is a step-down DC/DC controller designed to drive an external P-channel MOSFET. With a wide input range of 4V to 60V and a high voltage gate driver, the LTC3824 is suitable for many industrial and automotive high power applications. Constant frequency current mode operation provides excellent performance.

The LTC3824 can be configured for Burst Mode operation. Burst Mode operation enhances low current efficiency (only 40µA quiescent current) and extends battery run time. The switching frequency can be programmed up to 600kHz and is easily synchronizable.

Other features include current limit, soft-start, micropower shutdown, and Burst Mode disable.

The LTC3824 is available in a 10-lead MSE power package.

Features

Wide Input Range: 4V to 60V

Current Mode Constant Frequency PWM

Very Low Dropout Operation: 100% Duty Cycle

Programmable Switching Frequency: 200kHz to 600kHz

Selectable High Efficient Burst Mode® Operation: 40µA Quiescent Current

Easy Synchronization

8V, 2A Gate Drive (VCC > 10V) for Industrial High Voltage P-Channel MOSFET

Programmable Soft-Start

Programmable Current Limit

Available in a Small 10-Pin Thermally Enhanced MSE Package

Related Products



LT3763EFE Analog Devices, Inc

TSSOP28



LTC4417IUF Analog Devices, Inc QFN-24



LTC1966CMS8#PBF



Analog Devices, Inc MSOP-8P







LTC2990IMS#PBF

Analog Devices, Inc

10MSOP

TO-3

LTC3440EMS Analog Devices, Inc MSOP10





Industrial and Automotive Power Supplies

Telecom Power Supplies

Application

Distributed Power Systems