

NCV2904DR2G

Data Sheet

Operational Amplifier, Dual, 2 Amplifier, 1 MHz, 0.6 V/µs, 3V to 32V, SOIC, 8 Pins

Manufacturers ON Semiconductor, LLC

Package/Case SOIC-8

Product Type Amplifier ICs

RoHS Rohs

Lifecycle



Images are for reference only

Please submit RFQ for NCV2904DR2G or <u>Emailto:scales@ovaga.com</u> We will contact you in 12 hours.



General Description

Utilizing the circuit designs perfected for quad op-amps, this dual op-amp features low power drain, a common mode input voltage range extending to ground/VEE, and single supply or split supply operation. The LM358 series is equivalent to one-half of an LM324. These amplifiers have several distinct advantages over standard operational amplifier types in single supply applications. They can operate at supply voltages as low as 3.0 V or as high as 32 V, with quiescent currents about one-fifth of those associated with the MC1741 (on a per amplifier basis). The common mode input range includes the negative supply, thereby eliminating the necessity for external biasing components in many applications. The output voltage range also includes the negative power supply voltage.

Application Features

ONSEMI Short Circuit Protected Outputs

True Differential Input Stage

Single Supply Operation: 3.0 V to 32 V

Low Input Bias Currents

Internally Compensated

Common Mode Range Extends to Negative Supply

Single and Split Supply Operation

ESD Clamps on the Inputs Increase Ruggedness of the Device without Affecting Operation

Pb-Free Packages are Available

Related Products



NCV33202VDR2G

ON Semiconductor, LLC SOIC-8



NCV33074ADTBR2G

ON Semiconductor, LLC TSSOP-14



NCV7351D1ER2G

ON Semiconductor, LLC SOIC-8



NCV33274ADTBR2G

ON Semiconductor, LLC TSSOP-14



NCP2820MUTBG

ON Semiconductor, LLC UDFN-8



NCV2001SN2T1G

ON Semiconductor, LLC TSOP-5



NCV33272ADR2G

ON Semiconductor, LLC SOIC-8



NCS20072DTBR2G

ON Semiconductor, LLC

TSSOP-8