

HMC511LP5

Data Sheet

MMIC VCO w/ HALF FREQUENCY OUTPUT 9.05

Manufacturers Analog Devices, Inc

Package/Case QFN-32

Product Type RF Integrated Circuits

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for HMC511LP5 or Email to us: sales@ovaga.com We will contact you in 12 hours.

RFO

General Description

The HMC511LP5(E) is a GaAs InGaP Heterojunction Bipolar Transistor (HBT) MMIC VCO. The HMC511LP5(E) integrates resonators, negative resistance devices, varactor diodes and feature a half frequency output. The VCO's phase noise performance is excellent over temperature, shock, and process due to the oscillator's monolithic structure. Power output is +13 dBm typical from a +5V supply. The voltage controlled oscillator is packaged in a leadless QFN 5x5 mm surface mount package, and requires no external matching components.

Features

Dual Output: = 4.525 - 5.075 GHz

Pout: +13 dBm

Phase Noise: -115 dBc/Hz@100 kHz Typ.

No External Resonator Needed

QFN Leadless SMT Package, 25 mm²

Application

VSAT Radio

Point-to-Point/Multi-Point Radio

Test Equipment & Industrial Controls

Military End-Use





Related Products



HMC3653LP3BE
Analog Devices, Inc
QFN-12



HMC253AQS24
Analog Devices, Inc
24-SSOP (0.154, 3.90mm Width)



HMC441LP3E
Analog Devices, Inc
QFN-16



HMC948LP3E
Analog Devices, Inc
LP3



HMC358MS8GE Analog Devices, Inc MSOP-8



Analog Devices, Inc

HMC490



HMC453ST89E
Analog Devices, Inc
ST89E



HMC618ALP3E
Analog Devices, Inc
QFN-16