


SRAM Chip Async Single 5V 4M-bit 512K x 8 55ns 32-Pin SOP T/R

Manufacturers	Renesas Technology Corp
Package/Case	SOP-32
Product Type	Memory
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for R1LP0408DSP-5SI#S0 or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

Features

Single 5V supply: 4.5V to 5.5V

Access time: 55ns (max.)

Power dissipation: Standby: 4 μ W (typ.)

Equal access and cycle times

Common data input and output: Three state output

Directly TTL compatible: All inputs and outputs

Battery backup operation

Related Products



[R1LP0408DSP-7SI#B0](#)

Renesas Technology Corp
SOP-32



[R1LV1616RSA-5SI](#)

Renesas Technology Corp
TSOP48



[R1LP0108ESF-7SI#B0](#)

Renesas Technology Corp
32-TFSOP (0.724, 18.40mm Width)



[R1LV1616HSA-5SI#B0](#)

Renesas Technology Corp
TSOP-48



[R1LV1616HSA-4SI#B0](#)

Renesas Technology Corp
TSOP48



[R1LV1616RSA-5SI#B0](#)

Renesas Technology Corp
TSOP48



[R1LV1616RSD-5SI#B0](#)

Renesas Technology Corp
TSSOP48



[R1LV0408DSA-5SI#S0](#)

Renesas Technology Corp
TSOP32