

# AD8055ANZ

Data Sheet

ANALOG DEVICES AD8055ANZ Operational amplifier, single channel, 300 MHz, 1 amplifier, 1400 V/µs,  $\pm$  4V to  $\pm$  6V, DIP, 8-pin

Manufacturers	Analog Devices, Inc
Package/Case	PDIP-8
Product Type	Amplifier ICs
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for AD8055ANZ or Email to us: sales@ovaga.com We will contact you in 12 hours.

<u>RFQ</u>

### **General Description**

The AD8055 (single) voltage feedback amplifier offers bandwidth and slew rate typically found in current feedback amplifiers. Additionally, this amplifier is easy to use and available at a very low cost.

Despite its low cost, the AD8055 provides excellent overall performance. For video applications, its differential gain and phase error is 0.01% and  $0.02^{\circ}$  into a 150 W load, and 0.02% and  $0.1^{\circ}$  while driving four video loads (37.50 W).

Its 0.1 dB flatness out to 40 MHz, wide bandwidth out to 300 MHz, along with 1400 V/µs slew rate and 20 ns settlingtime, make them useful for a variety of high-speed applications.

The AD8055 requires only 5 mA typ/amplifier of supply current and operates on a dual  $\pm$ 5 V or single +12 V powersupply, while capable of delivering over 60 mA of loadcurrent. The AD8055 is available in a small 8-lead PDIP, 8-lead SOIC, and 5-lead SOT-23 packages. These features make the AD8055 ideal for portable and battery powered applications where size and power are critical. This amplifier in the R-8, N-8 and RM-8 packages are available in the extended temperature range of -40°C to +125°C.

AD8055 (Single) PDIP-8, SOIC-8 and SOT-23-5

AD8056 (Dual) PDIP-8, SOIC-8 and MSOP-8

## Features

#### Low cost

Easy to use voltage feedback architecture

High speed300 MHz, -3 dB bandwidth>

Small packaging

High output drive current: over 60 mA

Excellent video = +2) Gain flatness 0.1 dB to 40 MHz0.01% differential gain error0.02° differential phase error

Drives 4 video loads (37.5 V) with 0.02% differential gain and 0.1  $^{\circ}$  differential phase

Low power,  $\pm 5$  V supplies 5 mA typ/amplifier power supply current



#### **Related Products**



Analog Devices, Inc MSOP-8

AD8418BRMZ-RL



Analog Devices, Inc MSOP-8

ADA4084-2ARMZ





ADA4528-2ARMZ-R7

Analog Devices, Inc MSOP-8

AD8062ARMZ

Analog Devices, Inc MSOP8



AD8567ARUZ

Analog Devices, Inc TSSOP-14



AD8628AUJZ

Analog Devices, Inc SOP23



AD8022ARMZ

Analog Devices, Inc MSOP-8



<u>AD8041AR</u>

Analog Devices, Inc SOP-8