

# LT1962EMS8#PBF

Data Sheet

LDO Regulator Pos 1.22V to 20V 0.3A Automotive 8-Pin MSOP Tube

Manufacturers	Analog Devices, Inc	
Package/Case	MSOP8	
Product Type	Power Management ICs	Ster Contraction
RoHS	Pb-free Halide free	
Lifecycle		Images are for reference only

Please submit RFQ for LT1962EMS8#PBF or Email to us: sales@ovaga.com We will contact you in 12 hours.

# <u>RFQ</u>

# **General Description**

The LT1962 series are micropower, low noise, low dropout regulators. The devices are capable of supplying 300mA of output current with a dropout voltage of 270mV. Designed for use in battery-powered systems, the low  $30\mu$ A quiescent current makes them an ideal choice. Quiescent current is well controlled; it does not rise in dropout as it does with many other regulators.

A key feature of the LT1962 regulators is low output noise. With the addition of an external  $0.01 \mu$ F bypass capacitor, output noise drops to  $20 \mu$ VRMS over a 10Hz to 100kHz bandwidth. The LT1962 regulators are stable with output capacitors as low as  $3.3 \mu$ F. Small ceramic capacitors can be used without the series resistance required by other regulators.

Internal protection circuitry includes reverse battery protection, current limiting, thermal limiting and reverse current protection. The parts come in fixed output voltages of 1.5V, 1.8V, 2.5V, 3V, 3.3V and 5V, and as an adjustable device with a 1.22V reference voltage. The LT1962 regulators are available in the 8-lead MSOP package.

# Features

Low Noise: 20µVRMS (10Hz to 100kHz)

Output Current: 300mA

Low Quiescent Current: 30µA

Wide Input Voltage Range: 1.8V to 20V

Low Dropout Voltage: 270mV

Very Low Shutdown Current: < 1µA

No Protection Diodes Needed

Fixed Output Voltages: 1.5V, 1.8V, 2.5V, 3V, 3.3V, 5V

Adjustable Output from 1.22V to 20V

Stable with 3.3µF Output Capacitor

Stable with Aluminum, Tantalum or Ceramic Capacitors

Reverse Battery Protection

No Reverse Current

Overcurrent and Overtemperature Protected

8-Lead MSOP Package

#### **Related Products**



LT3763EFE Analog Devices, Inc TSSOP28



LTC4417IUF Analog Devices, Inc QFN-24



LTC1966CMS8#PBF Analog Devices, Inc MSOP-8P





Analog Devices, Inc TO-3

#### LTC3440EMS

Analog Devices, Inc MSOP10

#### LTC2990IMS#PBF

Analog Devices, Inc 10MSOP

# Application

Cellular Phones

Battery-Powered Systems

Noise-Sensitive Instrumentation Systems



### LTM8045EY#PBF

Analog Devices, Inc BGA40



LT4295IUFD#PBF

Analog Devices, Inc 28-WFQFN